

Product name: Pikal professional polishing paste
Document Nr.: SDS00153000250

Date: October 5th, 2022
Version: 2.0 Page 1 of 12

Section 1: Identification of the substance or mixture and the company

1.1. Product Identifier

Name: #53-000250 PIKAL professional polishing paste
The substances do not require registration according to regulation (EC) N. 1907/2006 (REACH).

1.2 Relevant applications of the material and uses advised against

Polishing and cleaning of metals, hard materials, enamels to a mirror finish. Abrasive material.

1.3. Company details

Rave Scientific
100 Franklin Square Dr.
Suite 101
Somerset, NJ 08873
Telephone: 1-732-898-3828
Email: info@ravescientific.com
Web: www.ravescientific.com

1.4 Emergency telephone number

911 (USA) or your national emergency telephone number for chemical spills, leaks, fires, exposures or accidents

Section 2: Hazards identification

2.1. Classification of the substance or mixture according to Regulation EC Nr. 1272/2008

Physical:	Flammable material, H223
Health:	Harmful if inhaled, category 1, H332 Causes skin irritation, category 2, H315 Causes serious eye irritation, category 2, H319 Suspected of causing cancer, H351 May cause damage to organs through prolonged or repeated exposure, H373
Environment:	Not classified
Other hazards:	Repeated exposure may cause skin dryness and cracking, EUH066

Contd. on page 2

Product name: Pikal professional polishing paste
Document Nr.: SDS00153000250

Date: October 5th, 2022
Version: 2.0 Page 2 of 12

Contd. of page 1

2.2 Labeling elements accordance to Regulation EC Nr. 1272/2008

Hazard pictogramm(s):

**GHS07****GHS08**

Signal word:

Danger

Hazard statement(s):

H223: Flammable material
H315: Causes skin irritation
H317: May cause an allergic skin reaction
H319: Causes serious eye irritation
H373: May cause damage to organs through prolonged or repeated exposures
H351: Suspected of causing cancer
EUH066: Repeated exposure may cause skin dryness and cracking

Precautionary statement(s)

Prevention:

P101: If medical advice is needed, have product container or label at hand
P102: Keep out of reach of children
P233: Keep container tightly closed
P261: Avoid breathing dust/fumes/gas/mist/vapour/spray
P273: Avoid release to the environment
P280: Wear protective gloves/protective clothing/eye protection/face protection

Response:

P301+P310: If swallowed: Immediately call a poison center/doctor/physician/first aider
P08+P313: If exposed or concerned: Get medical attention
P331: Do NOT induce vomiting
P305+P351+P338: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if easy to do. Continue rinsing.
P337+P313: If eye irritation persists: Get medical attention
P302+P352: If on skin: Wash with plenty of water and soap.
P362+P364: Take of contaminated clothing and wash before reuse

Storage:

P403+P35: Store in a well-ventilated place. Keep cool.
P405: Store locked up

Disposal:

P501: Dispose of contents/container in accordance with local/regional/national/international regulations

Supplemental hazard info:

None

Contd. on page 3

Product name: Pikal professional polishing paste
Document Nr.: SDS00153000250**Date:** October 5th, 2022
Version: 2.0 Page 3 of 12

Contd. of page 2

2.3 Other hazards

Not applicable

Section 3: Composition / information on components**3.1. Substances**

Name: #53-000250 Pikal professional metal polishing paste

3.2 Mixtures

Component	CAS Nr.	EC Nr.	WT%
Mineral oil	8042-47-5	232-455-8	10
Kerosene	8008-20-6	232-366-4	20
Ammonia solution	1336-21-6	215-647-6	1-5
Ethylene Glycol	107-21-1	203-473-3	<1
Aluminium Oxide Al ₂ O ₃	1344-28-1	215-691-6	20
Silica sand SiO ₂	14080-60-7	262-373-8	20
Fatty acids, C16-18 and C18- unsaturated	67701-08-0	266-932-7	1-10
Water	7732-18-5	231-791-2	1-10

Section 4: First aid measures**4.1. Description of first aid measures**

Contact with eyes: Rinse cautiously with water for several minutes. If possible, remove contact lenses. Continue rinsing.

Contact with skin: Wash with water and soap.
Seek medical attention if irritation persists.

Inhalation: Fresh air, keep warm and at rest.
Seek medical attention if ill effects occur

Ingestion: If swallowed, do not induce vomiting
Seek immediate medical advice

Contd. on page 4

Product name: Pikal professional polishing paste
Document Nr.: SDS00153000250

Date: October 5th, 2022
Version: 2.0 Page 4 of 12

Contd. of page 3

4.2. Important symptoms and effects, either immediate or delayed

Inhalation:	Inhalation may irritate nose, throat and lungs
Ingestion:	May cause nausea, vomiting, stomach and diarrhea
Skin contact:	Prolonged contact may cause skin irritation
Eye contact:	Irritating to eyes

4.3. Indication of any immediate medical attention and special treatment

General advice: If you feel unwell, seek medical advice; show product label if possible
If symptoms persist, always call a doctor

Section 5: Firefighting Measures

5.1. Extinguishing media

Dry foam, carbon dioxide, dry chemical or water spray and sand. Do not use water jet.

5.2. Special hazards arising from the substance or mixture

Carbon dioxide, carbon monoxide, nitrogen oxide, sulfur oxide, unburned hydrocarbons

5.3. Advice to firefighters

Fight fire from a safe distance, with adequate cover
Do not move the load if exposed to heat.
In case of fire; do not breathe fumes
Wear self-contained breathing apparatus for fire fighting

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective equipment
Keep unprotected persons away
Ensure adequate ventilation

Contd. on page 5

Product name: Pikal professional polishing paste
Document Nr.: SDS00153000250

Date: October 5th, 2022
Version: 2.0 Page 5 of 12

Contd. of page 4

6.2 Environmental precautions

Do not allow to enter public sewers and waterways

6.3 Methods and material for containment and clean up

Clean up spills immediately
Avoid breathing vapours
Control personal contact with the substance, by using protective equipment
Collect spillage, absorbed spillage and wipes in a flammable waste container
Wash spill area with soap and water to remove last traces of residue

6.4 Reference to other sections

For further information see section 7, 8 and 13.

Section 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing dust/mist
Ensure adequate ventilation
Avoid using hot materials and fire around working area
Avoid contact with skin and eyes
Wash thoroughly after use
Wear protective gloves/protective clothing/eye protection
Flammable when heated

7.2 Conditions for safe storage, including any incompatibilities

Store locked up in a cool dry place below 40°C out of direct sun light
Isolate from ignition source such as heat, sparks, open flame
Keep container tightly sealed
Keep out of reach of children

7.3 Specific end uses(s)

Not required

Contd. on page 6

Product name: Pikal professional polishing paste
Document Nr.: SDS00153000250**Date:** October 5th, 2022
Version: 2.0 Page 6 of 12

Contd. of page 5

Section 8: Exposure control and personal protection**8.1. Control parameters****Occupational exposure limits (OEL)**

Ingredient	TWA	STEL
Mineral oil	200mg/m ³	Not available
Kerosene	200mg/m ³	Not available
Ammonia solution	18mg/m ³	25mg/m ³
Ethylene Glycol	52mg/m ³	104mg/m ³
Aluminium Oxide Al ₂ O ₃	Not available	Not available
Silica sand SiO ₂	Not available	0.025mg/m ³
Fatty acids, C16-18 and C18- unsaturated	Not available	Not available
Water	Not available	Not available
PIKAL professional metal polishing paste	Not available	Not available

8.2 Exposure controls

Control procedures: Avoid creating dust
Ensure adequate ventilation
Only use small amounts
Wash hands before breaks and at the end of the work
Maintain appropriate working environment

Personal protection: Protective work clothing

Inhalation: Use breathing protection with high concentrations

Hands and skin: Suitable gloves

Eyes: Wear safety goggles or full-face protection

Contd. on page 7

Product name: Pikal professional polishing paste**Document Nr.:** SDS00153000250**Date:** October 5th, 2022**Version:** 2.0

Page 7 of 12

Contd. of page 6

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance/physical state:	Paste
Colour:	Light brown
Odour:	Characteristic
pH	9-11
Melting point/range:	Not determined
Boiling point/range:	Not available
Flash point:	80°C (closed cup)
Evaporation rate:	Not applicable
Explosion limits: upper limit:	Not determined
lower limit:	Not determined
Vapour pressure:	Not determined
Relative density:	1.1 g/cm ³ @ 20°C
Solubility in water:	Dispersible
Auto-ignition:	Product is not self-igniting
Viscosity:	Not determined

9.2 Other information

VOC: up to 20% mineral oil / kerosene

Section 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions known if used for its intended purposes

10.2 Chemical stability

Stable under recommended storage conditions

10.3 Possibility of hazardous reactions

None known

Contd. on page 8

Product name: Pikal professional polishing paste
Document Nr.: SDS00153000250

Date: October 5th, 2022
Version: 2.0 Page 8 of 12

Contd. of page 7

10.4 Conditions to avoid

Avoid hot surfaces, heating, freezing

10.5 Incompatible materials

Strong oxidising agents

10.6 Hazardous decomposition products

By heating, petroleum components (kerosene) turn into inflammable vapour

Section 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure:

Inhalation:	May cause damage to lungs, chemical pneumonitis
Skin contact:	May cause irritation
Eye contact:	Irritant, caustic effect
Sensitisation:	No sensitising effects known
CMR effects:	Product should be classified as carcinogenic Germ cell mutagenicity classification criteria not met based on available data Reproductive toxicity classification criteria not met based on available data
STOT-single exposure:	may cause drowsiness or dizziness
STOT- repeated exposure:	may cause skin dryness and cracking
Aspiration hazard:	May be fatal if swallowed and enters airway

Toxicological data LD/LD50 values

No information available

Symptoms related to physical, chemical and toxicological characteristics

If swallowed:	Discomfort, nausea, diarrhea
If in eyes:	Causes serious eye irritation
If inhaled:	Fatigue, dizziness, narcosis
If on skin:	Repeated exposure may cause skin dryness or cracking

Contd. on page 9

Product name: Pikal professional polishing paste
Document Nr.: SDS00153000250

Date: October 5th, 2022
Version: 2.0 Page 9 of 12

Contd. of page 8

11.2. Endocrine disrupting properties

Not listed

11.3. Toxicity

There is no additional information

Section 12: Ecological information**12.1. Aquatic toxicity**

Harmful to fish

12.2 Persistence and degradability

No further relevant information available

12.3 Bio-accumulative potential

No further relevant information available

12.4 Mobility in soil

No further relevant information available

12.5 Results of PBT and vPvB assessment

No further relevant information available

12.6 Hazardous decomposition products

No information available

Contd. on page 10

Product name: Pikal professional polishing paste
Document Nr.: SDS00153000250

Date: October 5th, 2022
Version: 2.0 Page **10** of **12**

Contd. of page 9

Section 13: Disposal considerations**13.1. Waste treatment methods**

Product: This material and its container must be disposed of in a safe way.
Do not discharge into drains or the environment, dispose to an authorised waste collection point.

National regulations: Disposal should be in accordance with local, state or national legislation.

Section 14: Transport information**14.1. UN number**

UN-number: N/A

14.2 UN proper shipping name

Proper shipping name: N/A

14.3 Transport hazard class(es)

Class: N/A
ADR/RID-Classification code: N/A

14.4 Packing group

Packing: N/A

14.5 Incompatible materials

ADR/RID- Environmentally hazardous: N/A
IMDG-Marine pollutant: N/A
IATA/ICAO-Environmentally hazardous: N/A

14.6 Special precautions for user

ADR/RID-Tunnel code: N/A

Contd. on page 11

Safety Data Sheet

Regulation EC Nr. 1907/2006 Art.31

Product name: Pikal professional polishing paste
Document Nr.: SDS00153000250

Date: October 5th, 2022
Version: 2.0 Page **11** of **12**

IMDG-Ems:	N/A	Contd. of page 10
IATA/ICAO-PAX:	N/A	
IATA/ICAO-CAO:	N/A	

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC code

Not applicable

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No further data available

15.2 Chemical safety assessment

No information available

Section 16: Other information

RoHS Directive Compliant

This product is fully compliant with the directive 2100/65/EU Annex II (RoHS). It does not contain any lead, cadmium, mercury, hexavalent chromium, PBB's or PBDE's.

WEEE

This product is not a piece of electrical or electronic equipment, and it therefore not governed by Directive 2002/96/EC on waste electrical and electronic equipment (WEEE)

Abbreviations:

Asp. Tox	Aspiration hazard
Carc.	Carcinogenicity
Exp.	Exposure
Flam.	Flammable
GHS	Global Harmonised System of Classification of Labelling Chemicals
Irrit.	Irritant
LC50	Lethal Concentration 50%
LCLo	Lowest published lethal concentration

Contd. on page 12

Safety Data Sheet

Regulation EC Nr. 1907/2006 Art.31

Product name: Pikal professional polishing paste
Document Nr.: SDS00153000250

Date: October 5th, 2022
Version: 2.0 Page **12** of **12**

LD50	Lethal Dose 50%
N/A	Not applicable
N/E	Not estimated
PBT	Persistent Bio-accumulative and Toxic
WEL	Workplace Exposure Limit
Repr.	Reproductive toxicant
RoHS	Restriction of Hazardous Substance
SEM	Scanning Electron Microscope
STEL	Short-Term Exposure Limit
STOT	Specific Target Organ Toxicity
TCLo	Lowest published toxic concentration
vPvB	very Persistent and very Bio-accumulative
WEEE	Waste Electrical and Electronic Equipment

Cont. of page 11

DSD / DPD label elements



Relevant phrases

- H223: Flammable material
- H315: Causes skin irritation
- H317: May cause an allergic skin reaction
- H319: Causes serious eye irritation
- H373: May cause damage to organs through prolonged or repeated exposures
- H351: Suspected of causing cancer
- EUH066: Repeated exposure may cause skin dryness and cracking

This product should be stored, handled, and used in accordance with good industrial hygiene practices and in accordance with any legal regulation.

The information contained herewith is based on the present state of our knowledge and is intended to describe the product from the point of view of safety requirements. It does not guarantee any specific properties.

It is the responsibility of the user to query and verify any information seeming suspect or where doubt on the validity may exist. The buyer assumes all responsibility of using and handling the product in accordance with local, state, federal and international regulations.

End of document